

**In the Claims:**

Please amend claims 1, 5, 7, 8, 10-13, 15, 17, 18, and 20 as indicated. Please cancel claims 4 and 14.

1. (Currently amended) A method of restoring data in a computer network system wherein a plurality of client systems have access to a storage pool coupled to an associated storage area network (SAN) comprising the steps of:

requesting a restore wherein each of said plurality of client systems may participate in said restore; and

coordinating restoration of~~access to said~~ data stored in said storage pool using a storage management server ~~by~~ that constructs a master restore table comprising a plurality of data portions to be restored and an associated location of said plurality of data portions in said storage pool, ~~tracking~~ [[a]] said plurality of data portions of said data ~~to be restored by said plurality of client systems,~~ and ~~by~~ block~~ing~~ access to each of said plurality of data portions that have been restored by one of said plurality of client systems to avoid duplicative restoration efforts.

2. (Original) The method of claim 1, wherein said coordinating access step occurs during a plurality of sessions.

3. (Original) The method of claim 1, wherein said coordinating access step is interruptible.

4. (Canceled)

5. (Currently amended) The method of claim [[4]]1, wherein said storage pool comprises a plurality of storage devices and said associated location of said data portions includes a location in one of said storage devices.

6. (Original) The method of claim 5, wherein said data portions are provided concurrently from said plurality of storage devices to a target restoration device accessible by said plurality of client systems.

7. (Currently amended) The method of claim [[4]]1, wherein said master restore table further comprises data representative of a LAN-free path or a server-free path from a client to said storage pool.

8. (Currently amended) The method of claim [[4]]1, wherein said master restore table is identified by an associated token and a client system participating in a restore gains access to said master restore table by use of said token.

9. (Original) The method of claim 8, further comprising the step of deleting said master restore table after restoration of a target restoration device is complete and returning said token to said client system.

10. (Currently amended) The method of claim [[4]]1, wherein said constructing step further comprises automatically partitioning said plurality of data portions in said master restore table based on said associated location of said plurality of data portions in said storage pool.

11. (Currently amended) The method of claim [[4]]1, wherein said coordinating access step occurs before said master restore table is fully constructed.

12. (Currently amended) The method of claim [[4]]1, wherein said master restore table is saved in a storage management server, said storage management server coupled to said SAN.

13. (Currently amended) A computer network system for restoring data comprising:  
a plurality of client systems;  
a storage pool coupled to said plurality of client systems through a storage area network (SAN); and

a storage management server coupled to said plurality of client systems through said SAN, wherein said storage management server is configured to coordinate restoration of~~access to~~ said data stored in said storage pool by constructing a master restore table comprising a plurality of data portions to be restored and an associated location of said plurality of data portions in said storage pool, tracking ~~[[a]]~~said plurality of data portions of said data ~~as to be restored~~ by said plurality of client systems, and ~~by~~-blocking access to each of said plurality of data portions that have been restored by one of said plurality of client systems to avoid duplicative restoration efforts.

14. (Canceled)

15. (Currently amended) The system of claim 1~~[[4]]~~3, wherein said storage pool comprises a plurality of storage devices and said associated location of said data portions includes a location in one of said plurality of storage devices.

16. (Original) The system of claim 15, wherein said data portions are provided concurrently from said plurality of storage devices to a target restoration device accessible by said plurality of client systems.

17. (Currently amended) The system of claim 1[[4]]3, wherein said master restore table further comprises data representative of a LAN-free path or a server-free path from a client to said storage pool.

18. (Currently amended) The system of claim 1[[4]]3, wherein said master restore table is identified by an associated token and a client system participating in a restore gains access to said master restore table by use of said token.

19. (Original) The system of claim 18, wherein an initiating client instructs deletion of said master restore table after restoration of a target restoration device is complete.

20. (Currently amended) The system of claim 1[[4]]3, wherein said master restore table is configured to automatically partition said plurality of data portions based on said associated location of said plurality of data portions in said storage pool.